

CONSULTANTS TO THE WASTE INDUSTRY



**"A CART IS NOT JUST A CART,
ASK US WHY?"**





Schaefer Systems International, Inc.

Waste Technology Division – Features and Benefits

SSI Schaefer

- Strongest lid in the industry
- Moisture/vector barrier under lid
- Excellent wind stability
- Standard 12" wheel (95 gal)
- 7/8" standard solid steel axle
- Easy in/out feature of lower bar for assembly or replacement

Competitive Carts*

- Complicated lid attachment(s)
- High lid-failure rate
- Poor footprint for wind stability
- Standard 10" wheel (95 gal)
- 5/8" – 3/4" standard hollow composite axle
- Difficult field assembly and/or replacement of lower bar

* Based on an assessment of a variety of competitive containers.

The Schaefer Advantage:

- RFID: specific data, i.e., state-of-the-art information
- Large dealer network for smaller quantities
- Route planning and pro formas
- Leasing and financing plans

Our field managers have years of experience and offer unparalleled industry knowledge. All of our consultants are interested in the growth, profitability and specific needs of every customer.



Product Color Chart*

Blue MC-12084PE CL.BLU.1	Navy MC-12593PE CL.NVY.1	Green MC-20905PE CL.GRN.1	Dark Green MC-20556PE CL.DGN.1
Brown MC-50286PE CL.BRN.1	Dark Brown MC-50342PE CL.DBN.1	Gray MC-81124PE CL.GRY.1	Black MC-81125PE CL.BLK.2

*Actual colors may vary. Custom colors are available upon request.

PLANTING IDEAS FOR A GREENER TOMORROW

At Schaefer, we blend high-grade materials into durable containers, loaded with features and guaranteed for years of trouble-free service. Our containers last for decades, reducing their impact on the environment and your bottom line.



LET US HELP YOU DESIGN YOUR PROGRAM!

Schaefer Systems International, Inc.
Waste Technology Division

P.O. Box 7009
Charlotte, NC 28241
Phone: 704-944-4500
Fax: 704-944-4569
www.ssi-schaefer.us



10% Post-Consumer Fiber



Mixed Sources

Product group from well-managed
forests, controlled sources and
recycled wood or fiber.
www.fsc.org Cert. no. 000-000-000000
© 1996 Forest Stewardship Council